

List of All Chemicals

P Apocynum cannabinum (Apocynaceae)

Common name(s)

Spreading Dogbane; Bitterroot

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	All parts ...	Low PPM	High PPM	StdDev	*Reference
ALPHA-AMYRIN	Root		--	--		*
Activities (10)						
Analgesic						
Antiedemic IC43=40 mg/kg ipr rat						
Antiinflammatory IC71=1,000 ppm orl						
Antinociceptive						
Antitumor						
Antiulcer						
Cytotoxic 50-400						
Gastroprotective						
Hepatoprotective						
Insectifuge						
ANDROSTEROL	Root		--	--		*
APOCANNOSIDE	Root		--	--		*
Activities (3)						
Anticarcinomic ED50=37 ppb		Biosyn. Prod. Cancer Chemotherapy (Petit et al)				
Antitumor						
Cardiac		CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses				
CANNOGENIN	Root		--	--		*
CYMARIN	Root		--	--		*
Activities (6)						
Anticarcinomic ED50=3.9 ppb						
Cardiotonic			Merck 11th Edition			
Myocardiotonic						
Myotonic						
Pesticide						
Vasodilator						
CYMAROL	Plant		--	--		*
Activities (1)						
Cardiac	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.					
CYNOCANNOSIDE	Root		--	--		*
FAT	Seed		226000.0	238000.0	-0.14	*
HARMAOL	Root		--	--		*

Activities (7)

Antibacterial	Recio, M. C., Rios, J. L., and Villar, A., A review of some antimicrobial compounds isolated from medicinal plants reported in the literature 1978-1988, <i>Phytotherapy Research</i> , 3(4), 1989, 117-125.
Antimitotic 10 ug/ml	
Aphrodisiac 5 mg/mus	CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
CNS-Stimulant	
Cytotoxic	
Desmutagenic	
Pesticide	

HOMOANDROSTEROL

Root -- -- *

K-STROPHANTHIN

Root -- -- *

LUPEOL

Root -- -- *

Activities (21)

AntiEBV

Antiangiogenic 30-50 ug/ml

Antiedemic

Antiflu

Antihyperglycemic Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

Antiinflammatory 1/3 indometacin

Antilithic 25 mg/kg/day

Antimalarial IC50=46.8 ug/ml Khalid, S.A., Farouk, A., Geary**, T.G., and Jensen, J.B. 1985. Potential Antimalarial Candidates From African Plants: An In Vitro Approach Using *Plasmodium falciparum**. *Journal of Ethnopharmacology*, 15: 201-209, 1986.

Antioxalate 25 mg/kg/day

Antioxidant 25 mg/kg/day

Antiperoxidant 25 mg/kg/day

Antiprostaglandin

Antirheumatic

Antitumor Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

Antiurethrotic

Antiviral

Cytotoxic 50-500 ppm

FPTase-Inhibitor IC50=65 ug/ml

Hypotensive Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

Pesticide

TOPO-2-Inhibitor IC50=10.4 uM

OLEANOLIC-ACID

Root -- -- *

Activities (64)

Abortifacient

AntiHIV IC50=21.8 ug/ml

AntiHIV EC50=1.7 ug/ml Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiPGE2 IC50=24 uM

AntiTGF-beta IC50=19-24 uM

Antiallergic

Antiarrhythmic 40 mg/kg

Antiatherosclerotic

Antibacterial MIC=625-1,250 ug/ml

Anticarcinomic Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Anticariogenic

Leung, A. Y. and Foster, S. 1995. *Encyclopedia of Common Natural Ingredients* 2nd Ed. John Wiley & Sons, New York. 649 pp.Anticomplement IC40-50 0.01 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. *Hager's Handbuch der Pharmazeutischen Praxis*, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.Anticomplement IC80-90 0.05 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. *Hager's Handbuch der Pharmazeutischen Praxis*, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antiedemic IC36=40 mg/kg ipr rat

Antifertility

Antigingivitic MIC=625-1,250 ug/ml	
Antihepatotoxic	
Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.* and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. <i>Journal of Natural Products</i> , 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. <i>Biochemistry International</i> 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperioxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	
Antiplasmoidal IC50=70-89 ug/ml	
Antisarcomic	
Antiseptic MIC=625-1,250 ug/ml	
Antitumor	
Antitumor (Breast)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiulcer >carbenoxolone	
Antiviral EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Antiviral IC50=21.8 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
COX-2-Inhibitor IC50=295 uM/	
COX-2-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective 40 mg/kg	
Cardiotonic	
Cyclooxygenase-Inhibitor	
Diuretic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.
Hypolipemic	
Hypotensive	
Immunomodulator	
Leucocytogenic	
NF-kB-Inhibitor	
Phagocytotic	
Piscicide	ANON. 1948-1976. <i>The Wealth of India raw materials</i> . Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Prostaglandin-Synthesis-Inhibitor igs mus	
Sedative	
Uterotonic	
Vasopressor	

P-OXYACETOPHENONE	Root	--	--	*
PROTEIN	Seed	287000.0	331000.0	0.86

RESIN	Plant	--	--	*
STROPHANTHIN-CYMAROSIDE	Plant	--	--	*
TANNIN	Plant	--	--	*
Activities (35)				
Anthelmintic				
AntiHIV				
Antibacterial				
Anticancer				
Anticariogenic				
Antidiarrheic				
Antidysenteric				
Antihepatotoxic				
Antihypertensive				
Antilipolytic				
Antimutagenic				
Antinephritic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antiophidic	Economic & Medicinal Plant Research, 5: 363.			
Antioxidant IC50=1.44 ug/ml				
Antioxidant 1/3 quercetin				
Antiradicular 500 mg/kg/day orl mus	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antiradicular 1/3 quercetin				
Antirenitic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antitumor				
Antitumor-Promoter				
Antiulcer				
Antiviral				
Cancer-Preventive	HerbalGram No. 22 - Spring 1990, page 14.			
Carcinogenic				
Chelator				
Cyclooxygenase- Inhibitor				
Glucosyl- Transferase-Inhibitor				
Hepatoprotective				
Immunosuppressant				
Lipoxygenase- Inhibitor				
MAO-Inhibitor				
Ornithine- Decarboxylase- Inhibitor				
Pesticide				
Psychotropic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Xanthine-Oxidase- Inhibitor				